L Number	Hits	Search Text	DB	Time stamp
- number	1473	709/217.ccls. and @ad<20001027	USPAT;	2004/01/07 14:38
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB	
-	697	709/218.ccls. and @ad<20001027	USPAT; US-PGPUB	2004/01/07 14:38
-	200	(709/217.ccls. and @ad<20001027) and (709/218.ccls. and @ad<20001027)	USPAT; US-PGPUB	2004/01/07 14:56
-	1	((709/217.ccls. and @ad<20001027) and (distributed NEAR5 cache)) and multicast	USPAT; US-PGPUB	2004/01/07 14:57
-	21	(709/217.ccls. and @ad<20001027) and (distributed NEAR5 cache)	USPAT; US-PGPUB	2004/01/07 15:12
-	2	((709/218.ccls. and @ad<20001027) and (distributed NEAR5 cache)) and multicast	USPAT; US-PGPUB	2004/01/07 15:12
-	13	(709/218.ccls. and @ad<20001027) and (distributed NEAR5 cache)	USPAT; US-PGPUB	2004/01/07 15:18
-	2	((distributed NEAR3 cache) NEAR10 hash) and @ad<20001027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/07 15:20
_	639	(distributed NEAR3 cache) and @ad<20001027	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/07 15:50
-	12	(distributed NEAR3 (internet or WWW) NEAR3 cache) and @ad<20001027	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/07 15:42
	29	("5341499"   "5539883"   "5603029"   "5612865"   "5623585"   "5649093"   "5740371"   "5774660"   "5787470"   "5805824"   "5826270"   "5864852"   "8918013"   "5924116"   "5933606"   "5933849"   "5935207"   "5940594"   "5987233"   "5991804"   "5991809"   "6006251"   "6006264"   "6014667"   "6026405"   "6029168"   "6029195"	USPĀT	2004/01/07 15:36
-	18	"6052718"   "6112228"   "6122666").PN.   (click adj server) and @ad<20001027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/07 15:49
-	0	(virtual adj interface adj protocol) and @ad<20001027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/07 15:49
-	4	((distributed NEAR3 cache) and @ad<20001027) and (advertis\$5 NEAR4 server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/07 15:54
-	22	((distributed NEAR3 cache) and @ad<20001027) and (advertis\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/07 16:02
-	2	(multicast NEAR3 distributed NEAR4 cache) and @ad<20001027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/07 16:03



							, . <u></u>	
-	142	("4575579"	"4719567"	"4775935"		USPAT	2004/01/07	16:10
		"4782449"	"4799146"	"4850007"	·			
		"5027400" İ	"5029104"	"5093718"				l
		"5099420"	"5105184"	"5159669"				ŀ
		"5165012"	"5220420"	"5220516"				ŧ
		"5220564"	"5253341"	"5268963"				
		"5283639"	"5283731"	"5285442"				
		"5297249"	"5305195"	"5307456"				
		"5313455"	"5319455"	"5321740"				
		"5325423"	"5325483"	"5327554"				
		"5333237"	"5347632"	"5355472"				1
		"5355501"	"5361091"	"5361199"				
		"5361393"	"5367621"	"5392447"				
		"5412720"	"5418549"	"5438518"				
		"5442771"	"5483466"	"5491785"				
		"5500890"	"5515098"	"5515270"				
		"5515490"	"5524195"	"5524197"				
		"5530472"	"5532735"	"5541986"				
		!	"5563804"	"5564043"				
		"5548745"		!				
		"5572643"	"5579381"	"5583560"				
	1	"5590046"	"5594509"	"5594779"				
		"5596718"	"5602905"	"5606359"				
		"5615131"	"5621456"	"5629978"				
		"5630081"	"5635979"	"5657450"				
		"5664948"	"5701451"	"5706502"				
		"5710918"	"5717860"	"5721827"				
		"5724521"	"5737619"	"5737739"		1		
		"5740549"	"5742768"	"5754830"				
		"5761601"	"5768508"	"5781894"				
		"5787254"	"5794210"	"5796952"	•		j	
		!!		"5809481"				
		"5805815"	"5809242"	ł				
		"5838458"	"5854897"	"5864823"				
		"5870769"	"5897622"	"5913040"				
İ	ļ	"5918012"	"5918214"	"5923853"			}	
		"5931907"	"5933811"	"5937390"				
		"5937392"	"5937411"	"5946646"				
		"5946664"	"5946697"	"5948061"				
	İ	"5956716"	"5960409"	"5961602"				
		"5963909"	"5978841"	"5978842"				
		"5983244"	"5983268"	"5987466"				
1		"5991799"	"5996007"	"5999740"				
		"5999912"	"6006252"	"6009410"				
		"6011537"	"6012083"	"6014698"				
				!				
		"6035332"	"6047318"	"6061659"				
		"6091411"	"6094677"	"6112246"				
		"6119165"	"6125388"	"6157946"				
				"6314451"	l			
		"6317761").					]	
-	6	cache NEAR3	farm and @a	ad<20001027		USPAT;	2004/01/08	09:04
			•			US-PGPUB		
-	566	709/245.ccl	s. and @ad<	20001027		USPAT;	2004/01/08	09:04
						US-PGPUB		
-	2	(709/245.00	ls. and @ad	<20001027) ai	nd	USPAT;	2004/01/08	09:04
	-		d NEAR5 cac		-	US-PGPUB		
1_	25875			EAR3 (portion	or niece	USPAT;	2004/01/08	09:21
-	230/5	1 '	•	•	. or brece	US-PGPUB	=====================================	77.21
			nd @ad<2000			USPAT;	2004/01/08	00.21
-	4684	l '		EAR3 (portion	1 01	•	2004/01/08	09:21
			@ad<200010			US-PGPUB	2004/01/00	00.47
-	170			NEAR3 (portion		USPAT;	2004/01/08	09:47
	1			27) and 709/	ccls.	US-PGPUB	1	
-	7	ad NEAR3 ev	ent\$1 NEAR3	server		USPAT;	2004/01/08	10:02
						US-PGPUB		j
-	35	graphical N	EAR2 (UID o	r ID)		USPAT;	2004/01/08	10:05
			, -			US-PGPUB	· ·	
-	139	browser NEA	R2 (UID or	ID)		USPAT;	2004/01/08	10:05
	137		,	,		US-PGPUB		
1_	30	(hroweer NE	אר מזוו מא	ID)) and (a	dor	USPAT;	2004/01/08	10:11
-	الد	•	•	tising or (a		US-PGPUB	,,	
			iir or adver	croming or /de	CARTERIA	00 10100		
		server))	(17,77,77,3 0 ) **		÷= ~~~	Henam.	2004/01/00	10.11
-	594	-		AR3 advertis	os and	USPAT;	2004/01/08	10:11
	<u> </u>	@ad<2000102	7			US-PGPUB	<u> </u>	

42   ([internet or "WWW"] NEARS advertiss5 and ead-cololololory and whesh ead-colololory and hesh browser NEARM (ad or advertising or shower necessary NEARM (ad or advertising necessary NEARM (ad necessary NEARM (ad necessary NEARM (ad necessary NEARM (ad necessary NEARM (ad necessary NEARM (ad necessary NEARM (ad necessary NEARM (ad necessary NEARM (ad necessary NEARM (ad necessary NEARM (ad necessary NEARM (ad necessary NEARM (ad necessary NEARM (ad necessary NEARM (ad necessary NEARM (ad necessary NEARM (ad necessary NEARM (ad necessary NEARM) (ad necessary NEARM (ad necessary NEARM (ad necessary NEARM) (ad necessary NEARM (ad necessary NEARM (ad necessary NEARM) (ad necessary NEARM (ad necessary NEARM) (ad necessary NEARM (ad necessary NEARM) (ad necessary NEARM (ad necessar					
1	-	42		•	2004/01/08 10:19
advertisement  NEAR# redirect\$3 and   08-620001027   2004/01/08 10:32   2004/01/08 10:32   2004/01/08 10:32   2004/01/08 10:33   2004/01/08 10:3	<u> </u>	5			2004/01/08 10:26
Sed-2001027	-	5	advertisement) NEAR4 redirect\$3 and	•	2004/01/00 10.20
data				•	
10425   Process\$3 NEAR# portion\$2 NEAR#3 data   USPAT;	-	26	process\$3 NEAR4 (multi NEAR3 portion) NEAR3	USPAT;	2004/01/08 10:32
O					
0   Ciprocess33 NEAR2 portion\$2 NEAR2 data) NEAR4   USPAT;   USP	-	10425	process\$3 NEAR4 portion\$2 NEAR3 data	,	2004/01/08 10:32
Cidstributed NARAR cache  O (processa) NARAR portion\$2 NEAR2 data) same (distributed NARAR cache)		0	(nrococces NEADS portions NEADS data) NEADS		2004/01/08 10:33
0   CPROCESSIS NEARZ PORTIONS NEARZ data) same (distributed NEARZ cache)   19   CPROCESSIS NEARZ PORTIONS NEARZ data)   Septim   19   CPROCESSIS NEARZ PORTIONS NEARZ data)   Septim   19   CPROCESSIS NEARZ PORTIONS NEARZ data)   Septim   19   CPROCESSIS NEARZ PORTIONS NEARZ	-	0			2004/01/00 10.33
(distributed NEARA cache)   19   (processas) NEAR2 portion\$2 NEAR2 data) and (distributed NEAR4 cache)   19   (mu NEAR4 (redirect\$3) NEAR2 reference)) and (add cacoolou27   102 NEAR4; must be seen and (add cacoolou27   102 NEAR4; must be seen and (add cacoolou27   102 NEAR4; must be seen and (add cacoolou27)   102 NEAR5   102 NEAR5 (URL and HREF)   103 NEAR5 (URL and	-	o			2004/01/08 10:33
Gistributed NRAMA cache)   USPADUB   USPAT; USPAT			(distributed NEAR4 cache)	US-PGPUB	
Solution   Superior   Content adj provider   Superior	-	19			2004/01/08 10:38
### ### ##############################		_			2004/01/09 10-41
215		5		1 '	2004/01/08 10:41
107 ((URL NEAR6 redirects3) and @ad<20001027) and (ad or advertiseS) and (ad or advertiseS) and (ad or advertiseS) and (ad or advertiseS) and (ad or advertiseS) and (ad or advertiseS) and (advertiseS) and (ad	_	215			2004/01/08 10:42
and (ad or advertis5) advertising NEARS (URL and HREF)  1 advertising NEARS (URL and HREF)  2 ("5675510"   "5796952"   "5809481"   USPAT   USP			(300)		
1   advertising NEAR8 (URL and HREF)	-	107		· •	2004/01/08 11:19
12					0004/05/00 55 05
12	-	1	advertising NEAR8 (URL and HREF)		2004/01/08 11:27
"5931311" "5948061" "5960409" "59173" "5014698" "6052730" "6317761").PN.  0 6434614.URPN. "Click-through" NEARS URL USPAT; USPAT	_	10	   ("5675510"   "5796952"   "5809481"	i e	2004/01/08 11:21
"5991735" "5999912" "6006197"   "6014698" "6052730" "6317761").PN. 0 6434614.URPN. 19 "click-through" NEARS URL 23710 ((web adj server) or (content adj provider) NEARS stor\$3 data same cache) and @ad<20001027 ((web adj server) or (content adj provider) NEARS stor\$3 (HREF NEAR3 data) same cache) and @ad<20001027 ((web adj server) or (content adj provider) NEARS stor\$3 (HREF NEAR3 data) same cache) and @ad<20001027 ((web adj server) or (content adj provider) NEAR5 stor\$3 (HREF NEAR3 data) same cache) and @ad<20001027 ((web adj server) or (content adj provider) NEAR5 stor\$3 (HREF adj data) same cache) and @ad<20001027 (((web adj server) or (content adj provider)) NEARS stor\$3 NEAR5 (HREF adj data) same cache) and @ad<20001027 (((web adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 (HREF adj data) same cache) and @ad<20001027 (((web adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 (HREF adj data) same cache) and @ad<20001027 (((web adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 (HREF NEAR4 data) same cache) and @ad<20001027 (((web adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 (HREF NEAR4 data) same cache) and @ad<20001027 ((((web adj server)) or (content adj provider)) NEAR5 stor\$3 NEAR5 (HREF NEAR4 data) same cache) and @ad<20001027  1473 709/217.ccls. and @ad<20001027  1970/217.ccls. and @ad<20001027  1970/217.ccls. and @ad<20001027  1970/217.ccls. and @ad<20001027  19871; 109/218.ccls. and @ad<20001027) or (709/218.ccls. and @ad<20001027) or		12	•		
19					
- 19 "click-through" NEARS URL  23710 ((web adj server) or (content adj provider) NEARS stor\$3 data same cache) and @ad<20001027  4731 ((web adj server) or (content adj provider) NEARS 5tor\$3 (HREF NEAR3 data) same cache) and @ad<20001027  4731 ((web adj server) or (content adj provider) NEARS 5tor\$3 (HREF adj data) same cache) and @ad<20001027  4731 ((web adj server) or (content adj provider) NEARS 5tor\$3 (HREF adj data) same cache) and ((web adj server) or (content adj provider) NEARS 5tor\$3 (HREF adj data) same cache) and @ad<20001027  10 ((web adj server) or (content adj provider) NEARS 5tor\$3 NEARS (HREF adj data) same cache) and @ad<20001027  (((web adj server) or (content adj provider) NEARS 5tor\$3 NEARS (HREF adj data) same cache) and @ad<20001027  (((web adj server) or (content adj provider) NEARS 5tor\$3 NEARS (HREF adj data) same cache) and @ad<20001027  (((web adj server) or (content adj provider) NEARS 5tor\$3 NEARS (HREF NEAR4 data) same cache) and @ad<20001027  21 (((web adj server) or (content adj provider) NEARS 5tor\$3 NEARS (HREF NEAR4 data) same cache) and @ad<20001027  22 (((web adj server) or (content adj provider) NEARS 5tor\$3 NEARS (HREF NEAR4 data) same cache) and @ad<20001027  31 ((web adj server) or (content adj provider) NEARS 5tor\$3 NEARS (HREF NEAR4 data) same cache) and @ad<20001027  32 (((web adj server) or (content adj provider) NEARS 5tor\$3 NEARS (HREF NEAR4 data) same cache) and @ad<20001027  32 (((web adj server) or (content adj provider) NEARS 5tor\$3 NEARS (HREF NEAR4 data) same cache) and @ad<20001027  33 ((web adj server) or (content adj provider) NEARS 5tor\$3 NEARS (HREF NEAR4 data) same cache) and @ad<20001027  34 ((web adj server) or (content adj provider) NEARS 5tor\$3 NEARS (HREF NEAR4 data) same cache) and @ad<20001027  34 ((web adj server) or (content adj provider) NEARS 5tor\$3 NEARS (HREF NEAR4 data) same cache) and @ad<20001027  34 ((web adj server) or (content adj provider) NEARS 5tor\$3 NEARS (HREF NEAR4 data) same cache) and @ad<20001027  34 ((web adj server) or (co			· · · · · · · · · · · · · · · · · · ·		0000/07/00 77 7=
Use-page   Use-page	-	_			
23710	-	19	"click-through" NEAR5 URL		2004/01/08 11:34
NEARS stor\$3 data same cache) and		23710	((web adi server) or (content adi provider)		2004/01/08 11:37
### ##################################		23,10	NEAR5 stor\$3 data same cache) and		
NEARS stor\$3 (HREF NEAR3 data) same cache) and @adc20001027 ((web adj server) or (content adj provider) NEAR5 stor\$3 (HREF adj data) same cache) and @adc20001027 ((web adj server) or (content adj provider) NEAR5 stor\$3 NEAR5 (HREF adj data) same cache) and @adc20001027 ((web adj server) or (content adj provider) NEAR5 stor\$3 NEAR5 (HREF adj data) same cache) and @adc20001027 (((web adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 (HREF adj data) Server) or (content adj provider)) NEAR5 stor\$3 NEAR5 (HREF adj data) server) or (content adj provider)) NEAR5 stor\$3 NEAR5 (HREF NEAR4 data) same cache) and @adc20001027 (((web adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 (HREF NEAR4 data) same cache) and @adc20001027 (((web adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 data same cache) and @adc20001027 (((web adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 data same cache) and @adc20001027 ((((web adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 data same cache) and @adc20001027 (((((veb adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 data same cache) and @adc20001027 ((((((veb adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 data same cache) and @adc20001027 ((((((veb adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 data same cache) and @adc20001027 ((((((veb adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 data same cache) and @adc20001027 ((((((veb adj server) or (content adj provider)) NEAR5 data same cache) and @adc20001027 ((((((veb adj server) or (content adj provider)) NEAR5 data same cache) and @adc20001027 ((((((veb adj server) or (content adj provider)) NEAR5 data same cache) and @adc20001027 ((((((veb adj server) or (content adj provider)) NEAR5 data same cache) and @adc20001027 (((((veb adj server) or (content adj provider)) NEAR5 (HREF adj data) same ((((((veb adj server) or (((((veb adj server) or (((((veb adj server) or ((((veb adj server) or (((((veb adj server) or (((((veb adj server) or (((((veb adj server) o			@ad<20001027		
and @ad<20001027 ((web adj server) or (content adj provider) NEAR5 stor\$3 (HREF adj data) same cache) and @ad<20001027 ((web adj server) or (content adj provider) NEAR5 stor\$3 NEAR5 (HREF adj data) same cache) and @ad<20001027 (((web adj server) or (content adj provider) NEAR5 stor\$3 NEAR5 (HREF adj data) same cache) and @ad<20001027 (((web adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 (HREF adj data) same cache) and @ad<20001027 (((web adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 (HREF NEAR4 data) same cache) and @ad<20001027 (((web adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 (HREF NEAR4 data) same cache) and @ad<20001027 (((web adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 data same cache) and @ad<20001027 (((web adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 data same cache) and @ad<20001027  1473 709/217.ccls. and @ad<20001027  189AT; US-PGPUB	-	4731	((web adj server) or (content adj provider)		2004/01/08 11:37
- 4731 ((web adj server) or (content adj provider) NEAR5 stor\$3 (HREF adj data) same cache) and @ad<20001027  - 4674 ((web adj server) or (content adj provider) NEAR5 stor\$3 NEAR5 (HREF adj data) same cache) and @ad<20001027  - ((web adj server) or (content adj provider) NEAR5 stor\$3 NEAR5 (HREF adj data) same cache) and @ad<20001027  - ((web adj server) or (content adj provider) NEAR5 stor\$3 NEAR5 (HREF adj data) same cache) and @ad<20001027  - ((web adj server) or (content adj provider) NEAR5 stor\$3 NEAR5 (HREF NEAR4 data) same cache) and @ad<20001027  - ((web adj server) or (content adj provider) NEAR5 stor\$3 NEAR5 (HREF NEAR4 data) same cache) and @ad<20001027  - ((web adj server) or (content adj provider) NEAR5 stor\$3 NEAR5 data same cache) and @ad<20001027  - (((web adj server) or (content adj provider) NEAR5 stor\$3 NEAR5 data same cache) and @ad<20001027  - (((web adj server) or (content adj provider) NEAR5 stor\$3 NEAR5 data same cache) and @ad<20001027  - (((web adj server) or (content adj provider) NEAR5 stor\$3 NEAR5 data same cache) and @ad<20001027  - ((((web adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 data same cache) and @ad<20001027  - ((((web adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 data same cache) and @ad<20001027  - ((((web adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 data same cache) and @ad<20001027  - (((((web adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 data same cache) USPAT; (((((web adj server)) or (((((web adj server)) or (((((((((((((((((((((((((((((((((				US-PGPUB	
NEARS Stor\$3 (HREF adj data) same cache) and	_	4731		USPAT:	2004/01/08 11:37
Wad   Wa	_	4,21	NEARS stor\$3 (HREF adj data) same cache) and		
NEARS stor\$3 NEARS (HREF adj data) same cache) and @ad<20001027			@ad<20001027		
Cache   and @ad<20001027	-	4674	((web adj server) or (content adj provider)		2004/01/08 11:37
Content adj				US-PGPUB	
Drovider)   NEARS stor\$3 NEAR5 (HREF adj data)   Same cache  and @ad<20001027   USPAT;   US		,		IISPAT.	2004/01/08 11:38
data   same cache   and @ad<20001027   (((web adj server) or (content adj provider))   NEARS stor\$3 NEARS (HREF NEAR4 data)   Same cache   and @ad<20001027   (((web adj server) or (content adj provider))   NEARS stor\$3 NEAR5 data   Same (cache)   and @ad<20001027   USPAT;   2004/01/08 12:00	_	١	provider)) NEAR5 stor\$3 NEAR5 (HREF adj	i ·	2001,01,00
Content adj			data) same cache) and @ad<20001027		
data) same cache) and @ad<20001027 (((web adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 data same cache) and @ad<20001027  1473 709/217.ccls. and @ad<20001027  1970 (709/218.ccls. and @ad<20001027  1970 (709/218.ccls. and @ad<20001027) or USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB (distributed or proxy) NEAR2 cache) ("GUID" WITH hash) and @ad<20001027) or USPAT; US-PGPUB ("GUID" WITH hash) and @ad<20001027) uspat; USPAT; US-PGPUB USPAT; US-P	-	0	(((web adj server) or (content adj	l ·	2004/01/08 11:38
21 (((web adj server) or (content adj provider)) NEAR5 stor\$3 NEAR5 data same cache) and @ad<20001027  - 1473 709/217.ccls. and @ad<20001027  - 697 709/218.ccls. and @ad<20001027  - 1970 (709/217.ccls. and @ad<20001027  - 1970 (709/218.ccls. and @ad<20001027) or USPAT; US-PGPUB  - 75 ((709/218.ccls. and @ad<20001027) or USPAT; US-PGPUB  - (709/218.ccls. and @ad<20001027) or USPAT; US-PGPUB  - (709/218.ccls. and @ad<20001027) or USPAT; US-PGPUB  - (709/218.ccls. and @ad<20001027) or USPAT; US-PGPUB  - ("GUID" WITH hash) and @ad<20001027) or USPAT; US-PGPUB  - ("GUID" WITH hash) and @ad<20001027  - ("GUID" WITH hash) and @ad<20001027  - ("GUID" WITH hash) and @ad<20001027) not (("GUID" WITH hash) and @ad<20001027) USPAT; US-PGPUB  - ("GUID" WITH hash) and @ad<20001027) USPAT; US-PGPUB  - 1 graphical adj2 user adj2 ID  - 914 709/201.ccls. and @ad<20001027  - 914 709/201.ccls. and @ad<20001027) and (search)  - 15 (709/201.ccls. and @ad<20001027) and (search) USPAT; US-PGPUB  - 16				US-PGPUB	
provider)   NEAR5 stor\$3 NEAR5 data same cache   and @ad<20001027		21		HSPAT.	2004/01/08 12:00
cache) and @ad<20001027 709/217.ccls. and @ad<20001027  697 709/218.ccls. and @ad<20001027  1970 (709/217.ccls. and @ad<20001027) or USPAT; US-PGPUB (709/218.ccls. and @ad<20001027) or USPAT; US-PGPUB (709/218.ccls. and @ad<20001027) or USPAT; US-PGPUB (709/217.ccls. and @ad<20001027) or USPAT; US-PGPUB (709/218.ccls. and @ad<20001027) or USPAT; US-PGPUB ((distributed or proxy) NEAR2 cache) ("GUID" WITH hash) and @ad<20001027 USPAT; US-PGPUB (("GUID" WITH hash) and @ad<20001027) not USPAT; US-PGPUB (("GUID" WITH hash) and @ad<20001027) uSPAT; US-PGPUB (("GUID" WITH hash) and @ad<20001027) uSPAT; US-PGPUB ("GUID" WITH hash) and @ad<20001027) uSPAT; US-PGPUB USPAT; US-PGPUB	-	21	provider)) NEAR5 stor\$3 NEAR5 data same		2001,02,00 12.00
- 1473 709/217.ccls. and @ad<20001027 USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB ((709/218.ccls. and @ad<20001027) or USPAT; US-PGPUB ((distributed or proxy) NEAR2 cache) ("GUID" WITH hash) and @ad<20001027 USPAT; US-PGPUB US-PGPUB USPAT; US-PGPUB US-PGPU			cache) and @ad<20001027		
- 697 709/218.ccls. and @ad<20001027	-	1473		1	2004/01/08 12:00
1970 (709/217.ccls. and @ad<20001027) or (709/218.ccls. and @ad<20001027) USPAT; US-PGPUB (709/218.ccls. and @ad<20001027) or (709/218.ccls. and @ad<20001027) or (709/218.ccls. and @ad<20001027) and (6000000000000000000000000000000000000			700/00033 - 3 000000	1	2004/01/00 12 00
- 1970 (709/217.ccls. and @ad<20001027) or (709/218.ccls. and @ad<20001027) - 75 (709/217.ccls. and @ad<20001027) or (709/218.ccls. and @ad<20001027) or (709/218.ccls. and @ad<20001027) or (709/218.ccls. and @ad<20001027) and (distributed or proxy) NEAR2 cache) - 5 ("GUID" WITH hash) and @ad<20001027 USPAT; US-PGPUB - 8 (("GUID" same hash) and @ad<20001027 USPAT; US-PGPUB - 0 ("GUID" WITH hash) and @ad<20001027) not ("GUID" WITH hash) and @ad<20001027) - 1 graphical adj user adj ID USPAT; US-PGPUB - 1 graphical adj2 user adj2 ID USPAT; US-PGPUB - 914 709/201.ccls. and @ad<20001027 USPAT; US-PGPUB - 55 (709/201.ccls. and @ad<20001027) and (search USPAT; US-PGPUB	-	697	709/218.ccis. and @ad<20001027		2004/01/08 12:00
(709/218.ccls. and @ad<20001027)	_	1970	[ {709/217.ccls. and @ad<20001027} or	1	2004/01/08 12:00
- 75 ((709/217.ccls. and @ad<20001027) or (709/218.ccls. and @ad<20001027) and (distributed or proxy) NEAR2 cache) ((GUID" WITH hash) and @ad<20001027 USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; (("GUID" WITH hash) and @ad<20001027 USPAT; US-PGPUB USPAT; (("GUID" WITH hash) and @ad<20001027) USPAT; US-PGPUB USPAT; US-PGPU		15,0			
((distributed or proxy) NEAR2 cache)  ("GUID" WITH hash) and @ad<20001027  B (("GUID" same hash) and @ad<20001027) not ("GUID" wITH hash) and @ad<20001027) not ("GUID" wITH hash) and @ad<20001027)  O graphical adj user adj ID  Graphical adj2 user adj2 ID  O graphical adj2 user adj2 ID	-	75	((709/217.ccls. and @ad<20001027) or	1	2004/01/08 14:23
- 5 ("GUID" WITH hash) and @ad<20001027 USPAT; US-PGPUB  (("GUID" same hash) and @ad<20001027) not USPAT; US-PGPUB (("GUID" WITH hash) and @ad<20001027) US-PGPUB USPAT; US-PGPUB				US-PGPUB	
US-PGPUB (("GUID" same hash) and @ad<20001027) not (("GUID" WITH hash) and @ad<20001027)  Graphical adj user adj ID  1 graphical adj2 user adj2 ID  1 graphical adj2 user adj2 ID  1 graphical adj2 user adj2 ID  2004/01/08 14:35 US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB		_		HCDAT.	2004/01/09 14.29
- 8 (("GUID" same hash) and @ad<20001027) not (("GUID" WITH hash) and @ad<20001027)  - 0 graphical adj user adj ID  1 graphical adj2 user adj2 ID  2004/01/08 14:35 US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB	-	5	("GOID" WITH NASH) AND @ad<2000102/	1	2004/01/00 14:20
(("GUID" WITH hash) and @ad<20001027)  O graphical adj user adj ID  O graphical adj2 user adj2 ID  O graphical adj2 user adj	-	8	(("GUID" same hash) and @ad<20001027) not		2004/01/08 14:35
US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB			(("GUID" WITH hash) and @ad<20001027)	US-PGPUB	
- 1 graphical adj2 user adj2 ID USPAT; US-PGPUB - 914 709/201.ccls. and @ad<20001027 USPAT; US-PGPUB - 55 (709/201.ccls. and @ad<20001027) and (search USPAT; 2004/01/08 14:40	-	0		· ·	2004/01/08 14:35
US-PGPUB - 914 709/201.ccls. and @ad<20001027 USPAT; 2004/01/08 14:40 US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB 2004/01/08 14:45				F	2004/01/00 14:27
- 914 709/201.ccls. and @ad<20001027 USPAT; 2004/01/08 14:40 US-PGPUB 55 (709/201.ccls. and @ad<20001027) and (search USPAT; 2004/01/08 14:45	-	1	grapnical adj2 user adj2 ID	1	2004/01/08 14:3/
US-PGPUB US-PGPUB 55 (709/201.ccls. and @ad<20001027) and (search USPAT; 2004/01/08 14:45	_	914	709/201.ccls. and @ad<20001027		2004/01/08 14:40
			, , , , , , , , , , , , , , , , , , , ,		
NEAR2 (engine or query)) US-PGPUB	-	55		USPAT;	2004/01/08 14:45
		<u> </u>	NEAR2 (engine or query))	US-PGPUB	

-	0	(709/201.ccls. and @ad<20001027) and	USPAT;	2004/01/08 14:45
		google.as.	US-PGPUB	
-	7	google.as.	USPAT;	2004/01/08 14:47
1			US-PGPUB	
-	152	(search NEAR2 (engine)).ti.	USPAT;	2004/01/08 14:54
			US-PGPUB	
-	1	(search NEAR2 (engine)).ti. and yahoo.as.	USPAT;	2004/01/08 14:54
	_		US-PGPUB	2004/01/09 10:56
-	1	"GUID" NEAR4 hash and @ad<20001027	USPAT; US-PGPUB	2004/01/09 10:56
	7	"GUID" NEAR4 hash	USPAT:	2004/01/09 10:56
-	·	"GOID" NEAR4 HASH	US-PGPUB	2004/01/03 10:30
	13	("GUID" same hash) and @ad<20001027	USPAT;	2004/01/09 11:07
-		1 Ooth bame habit, and saarbooter,	US-PGPUB	
_	37	("GUID" NEAR10 application) and @ad<20001027	USPAT;	2004/01/09 11:08
		, comment of the comm	US-PGPUB	
_	5	("GUID" NEAR10 application same hash) and	USPAT;	2004/01/09 11:12
		@ad<20001027	US-PGPUB	
-	13	("GUID" same hash) and @ad<20001027	USPAT;	2004/01/09 11:09
			US-PGPUB	
-	12	(("GUID" same hash) and @ad<20001027) and	USPAT;	2004/01/09 11:09
		application	US-PGPUB	0004/03/00 11 10
-	2	("GUID" NEAR10 browser) and @ad<20001027	USPAT;	2004/01/09 11:12
L			US-PGPUB	<u>.                                    </u>